

L Number	Hits	Search Text	DB	Time stamp
-	94	oler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:24
-	10	oler and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:24
-	34	oler and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:24
-	7	oler and contrast	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:24
-	26	oler and automatic\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:25
-	5	(oler and temperature) and (oler and display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:25
-	10	(oler and temperature) and (oler and automatic\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:25
-	2	(oler and temperature) and (oler and contrast)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:25
-	13	((oler and temperature) and (oler and display)) or ((oler and temperature) and (oler and automatic\$5)) or ((oler and temperature) and (oler and contrast))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:26
-	14340	temperature and contrast and sensor and automatic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:27
-	1323	temperature same (contrast and sensor and automatic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:27
-	360	temperature same (contrast and sensor and automatic\$4 and display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:27
-	272	temperature same (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:29
-	50	temperature same (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate)and lcd)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:29

-	0	temperature same (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate)and lcd and digitizer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:30
-	1	temperature same (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate)and lcd and (touch adj screen or digitizer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:33
-	25	"5029982"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:34
-	6	"5029982" and (temperature and contrast and sensor and automatic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:34
-	4	"5029982" and (temperature same (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:34
-	4	"5029982" and (temperature same (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate)and lcd))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:39
-	4	"5029982" and (temperature same (contrast and sensor and automatic\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:40
-	29	("5029982" or "6496177" or "6313821" or "5029982")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:41
-	6	("5029982" or "6496177" or "6313821" or "5029982")and (temperature and contrast and sensor and automatic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/12 22:41
-	337	temperature same (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 02:48
-	85	temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 02:49
-	50	temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4)and (adjust\$5 or regulat%4 or control\$4)near10 automatic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 02:35
-	22	temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4)and (adjust\$5 or regulat%4 or control\$4)near10 automatic\$4) and contrast near5 adjust\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 02:47
-	20	temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4)and (adjust\$5 or regulat%4 or control\$4)near10 automatic\$4) and contrast near5 adjust\$5 near10 temperature\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 02:37

-	5	temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4)and (adjust\$5 or regulat%4 or control\$4)near10 automatic\$4) and contrast near5 adjust\$5 near5 temperature\$1 and (pda or hand adj held or pager\$1 or phones)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 02:39
-	16	temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4)and (adjust\$5 or regulat%4 or control\$4)near10 automatic\$4) and contrast near5 adjust\$5 near5 temperature\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 02:45
-	12	temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4)and (adjust\$5 or regulat%4 or control\$4)near10 automatic\$4) and contrast near5 adjust\$5 and ambient adj temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 02:47
-	180	temperature same (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4))and "ambient temperature"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 02:49
-	85	temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4))and (temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 02:49
-	50	temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4))and (temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4))) and (temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4)and (adjust\$5 or regulat%4 or control\$4)near10 automatic\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 02:49
-	39	temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4))and (temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4))) and ambient adj temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 02:50
-	12	temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4))and (temperature near15 (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate or set\$4))) and ambient adj temperature near15 time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 02:54
-	4	user near10 (adjust\$5 and ambient adj temperature and contrast)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:00
-	1	user near10 (adjust\$5 and ambient adj temperature and contrast and time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:00
-	1	user near20 (adjust\$5 and ambient adj temperature and contrast and time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:01

-	2	user near20 (adjust\$5 and ambient adj temperature and contrast)and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:01
-	3108	user and (adjust\$5 and ambient adj temperature and contrast)and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:02
-	24	user near10 contrast and (setting and adjustment) and (adjust\$5 and ambient adj temperature and contrast)and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:03
-	19	user near5 contrast and (setting and adjustment) and (adjust\$5 and ambient adj temperature and contrast)and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:04
-	0	user near5 contrast and (setting and adjustment) and (adjust\$5 and ambient adj temperature and contrast)and time and time near10 ambient adj temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:04
-	0	user near5 contrast and (setting and adjustment) and (adjust\$5 and ambient adj temperature and contrast)and time and time near20 ambient adj temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:04
-	5	user near5 contrast and (setting and adjustment) and (adjust\$5 and ambient adj temperature and contrast)and time and time same ambient adj temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:05
-	0	(pda or hand adj held) and teperature near10 (contrast and adjustment and utomatic\$4) and user near10 contrast	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:07
-	0	(pda or hand adj held) and temperature near10 (contrast and adjustment and utomatic\$4) and user near10 contrast	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:07
-	0	(pda or hand adj held) and temperature near10 (contrast and adjustment and utomatic\$4) and user near15 contrast	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:07
-	0	(pda or hand adj held) and temperature near15 (contrast and adjustment and utomatic\$4) and user near15 contrast	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:07
-	0	(pda or hand adj held) and temperature same(contrast and adjustment and utomatic\$4) and user near15 contrast	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:08
-	7	(pda or hand adj held) and temperature and contrast adj setting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:08
-	7	(pda or hand adj held) and temperature and contrast adj setting and (user or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:30

-	2	(pda or hand adj held or portable) and temperature and contrast adj setting near10 (user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:31
-	7	(pda or hand adj held or portable) and ambient adj temperature and contrast adj setting	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:32
-	2	(pda or hand adj held or portable) and ambient adj temperature and contrast adj setting and automatic\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 03:32
-	34	controll\$3 near5 contrast near5 display and temperature near5 chang\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 10:30
-	5	(controll\$3 near5 contrast near5 display and temperature near5 chang\$3) and (temperature same (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulate)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 10:30
-	34	(controll\$3 near5 contrast near5 display and temperature near5 chang\$3) and (controll\$3 near5 contrast)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 10:31
-	34	(controll\$3 near5 contrast near5 display and temperature near5 chang\$3) and (controll\$3 near5 contrast near5 display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 10:31
-	5	(controll\$3 near5 contrast near5 display and temperature near5 chang\$3) and (temperature same (contrast and sensor and automatic\$4 and display and (adjust\$5 or regulat\$5 or chang\$3 or modif\$9)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:00
-	2	oler and mai	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 10:32
-	88	"6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:01
-	15	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:01
-	7	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and bus and coupl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:02
-	2	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and bus and coupl\$3 and diode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:06
-	2	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and bus and coupl\$3 and diode and contrast	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:06

-	0	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and bus and coupl\$3 and diode and contrast and sampl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:06
-	19	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and sampl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:16
-	41	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and lcd	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:16
-	14	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and lcd and (index\$3 or indices or look adj up or lookup)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:17
-	5	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and lcd and (index\$3 or indices or look adj up or lookup)and contrast and adjustment and voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:17
-	5	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and lcd and (index\$3 or indices or look adj up or lookup)and contrast and adjustment and voltage and temperature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:18
-	3	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and lcd and (index\$3 or indices or look adj up or lookup)and contrast and adjustment and voltage and temperature and ambient	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:18
-	1	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and lcd and (index\$3 or indices or look adj up or lookup)and contrast and adjustment and voltage and temperature and ambient and (flat adj panel or pda or portable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:19
-	1	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and lcd and (index\$3 or indices or look adj up or lookup)and contrast and adjustment and voltage and temperature and ambient and (flat adj panel or pda or portable)and time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:22
-	1	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and lcd and (index\$3 or indices or look adj up or lookup)and contrast and adjustment and voltage and temperature and ambient and (flat adj panel or pda or portable)and time and (process\$3 or micro adj process\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:31
-	0	("6496177" or "6433769" or "5589960" or "5850205" or "6313821" or "5029982" or "4923285") and lcd and (index\$3 or indices or look adj up or lookup)and contrast and adjustment and voltage and temperature and ambient and (flat adj panel or pda or portable)and time and (process\$3 or micro adj process\$3)and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 11:23
-	2	"6121949"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/11 13:40